

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	440	burner with base with (mount\$ or fasten\$)	USPAT	OR	OFF	2008/02/05 10:00
L2	285	1 and ("126" or "431").clas.	USPAT	OR	OFF	2008/02/05 10:00
L3	256	(burner with head with (mount\$3 or fasten\$3)) and ("126" or "431").clas.	USPAT	OR	OFF	2008/02/05 10:01
L4	51	(burner with head with slots) and ("126" or "431").clas.	USPAT	OR	OFF	2008/02/05 10:06
L5	49	("0686625" "0790714" "1005930" "1239681" "1394721" "1424739" "1809658" "1908135" "1973371" "2187674" "2655206" "3092169" "3198238" "3685949" "4067686" "4269358" "4434976" "Re19959").PN. OR ("5186620").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/05 10:09
S1	0	("10509634").PN.	US-PGPUB	OR	OFF	2007/10/09 14:22
S2	0	((("5265954") or ("6224176"))).PN.	US-PGPUB	OR	OFF	2008/01/17 15:06
S3	2	((("5265954") or ("6224176"))).PN.	USPAT	OR	OFF	2007/10/09 14:23
S4	0	("4418456").PN.	US-PGPUB	OR	OFF	2008/01/17 15:07
S5	0	("44181456").PN.	US-PGPUB	OR	OFF	2008/01/17 15:07
S6	0	("4418456").PN.	US-PGPUB	OR	OFF	2008/01/17 15:08

S7	1	("4418456").PN.	USPAT	OR	OFF	2008/01/17 15:09
S8	1	("3156292").PN.	USPAT	OR	OFF	2008/01/17 15:10
S9	40	("2044528" "3578891" "3647146" "3874839" "4346845").PN. OR ("3156292" "4418456").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/17 15:10
S10	238	(29/890.02).CCLS.	USPAT; USOCR	OR	OFF	2008/01/23 12:00
S11	28	("0457245" "1527210" "1908668" "2560777" "2670790" "3154037" "3177923" "3540258" "3578891" "3694133" "3728881" "4395230" "4416249" "4418456" "4796797" "4951880" "4986254").PN. OR ("5406703").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/23 12:26
S12	0	(bar with burner\$1) and (profile with ridge \$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/23 12:34
S13	341	(bar with burner\$1) and (groove\$1 or ridge\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/23 12:34
S14	1440	431/354	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/23 13:29
S15	3	S14 and (bar adj burner\$1)	USPAT	OR	OFF	2008/01/23 13:30
S16	15	S14 and (flat adj burner\$1)	USPAT	OR	OFF	2008/01/23 13:31
S17	23	S14 and (tubular adj burner\$1)	USPAT	OR	OFF	2008/01/23 13:32

S18	15	("1471104" "3253642" "3506198" "3614281").PN. OR ("3874839").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/23 13:33
S19	609	126/39e	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/23 13:58
S20	26	(ridge\$1 or groove\$1) and (tubular adj burner\$1)	USPAT	OR	OFF	2008/01/23 14:01
S21	16	(peak\$1) and (tubular adj burner\$1)	USPAT	OR	OFF	2008/01/23 14:04
S22	17	(air with channel\$1) and (tubular adj burner\$1)	USPAT	OR	OFF	2008/01/23 14:04
S23	75	(air with channel\$1) and (tube adj burner \$1)	USPAT	OR	OFF	2008/01/23 14:11
S24	8	(air with channel\$1) with (tube adj burner \$1)	USPAT	OR	OFF	2008/01/23 14:12
S25	1	("5103545").PN.	USPAT; USOCR	OR	OFF	2008/01/23 14:31
S26	19	(rib\$1 or groove\$1 or peak\$1 or protrud\$3) with (tub\$4 adj burner \$1)	USPAT	OR	OFF	2008/01/23 14:41
S27	30	(rib\$1 or groove\$1 or peak\$1 or point\$3) with (tub\$4 adj burner \$1)	USPAT	OR	OFF	2008/01/23 14:42
S28	155	(rib\$1 or groove\$1 or peak\$1) with (tub\$4 with burner\$1)	USPAT	OR	OFF	2008/01/23 14:44
S29	11	("2105546" "2461731" "3643431").PN. OR ("3737281").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/23 14:52
S30	42	offredi.in.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/23 14:57
S31	3	((("3156292") or ("4418456")).PN.	USPAT; USOCR	OR	OFF	2008/01/23 15:07
S32	37	((tube or tubular) with burner\$1) with teeth	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/24 11:12
S33	8	("3540258").URPN.	USPAT	OR	OFF	2008/01/24 11:17

S34	11	("3156292" "4118175" "5520536" "5743727" "5915954" "6000934" "6139312" "6371753" "6461152").PN. OR ("7052273").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/24 11:20
S35	12	("1507791" "3156292" "4140100" "4396372" "4976609" "5743727").PN. OR ("6461152").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/24 11:25
S36	9	("3156292" "3907210" "4140100" "5240411").PN. OR ("5743727").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/24 11:27
S37	31	("2591235" "3259003" "3540258" "3580512" "3844707" "3874839" "4346845" "4418456" "4726351" "4930490" "4951880" "4971031" "4976253" "5052370" "5069200" "5081981" "5114336" "5320520" "5328356" "5336082" "5392763" "5399084" "5584680" "5601073" "5647341").PN. OR ("6371753").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/24 11:42
S38	2	"29".clas. and burner and (flow with divider \$1)	USPAT	OR	OFF	2008/01/24 11:47

S39	559	"29".clas. and burner \$1	USPAT	OR	OFF	2008/01/24 11:47
S40	18	burner with tube\$1 with flow with divert \$3	USPAT	OR	OFF	2008/01/24 12:02
S41	28	("0457245" "1527210" "1908668" "2560777" "2670790" "3154037" "3177923" "3540258" "3578891" "3694133" "3728881" "4395230" "4416249" "4418456" "4796797" "4951880" "4986254").PN. OR ("5406703").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/24 13:43
S42	1	("2560777").URPN.	USPAT	OR	OFF	2008/01/24 13:44
S43	20	(bar adj burner\$1)	USPAT	OR	OFF	2008/01/24 13:45
S44	88	(flat adj burner\$1)	USPAT	OR	OFF	2008/01/24 13:49
S45	3	((("3156292") or ("4418456")).PN.	USPAT; USOCR	OR	OFF	2008/01/24 13:52
S46	1	("4418456").PN.	USPAT; USOCR	OR	OFF	2008/01/24 13:55
S47	1	("4986254").PN.	USPAT; USOCR	OR	OFF	2008/01/24 14:02
S48	8874	("126" or "431").clas. and (groove\$1 or depression\$1 or channel\$1 or indent \$5 or trough\$1)	USPAT	OR	OFF	2008/01/28 20:12
S49	4909	("126" or "431").clas. and (groove\$1 or depression\$1 or trough\$1)	USPAT	OR	OFF	2008/01/28 20:13
S50	1751	("126" or "431").clas. and (groove\$1 or depression\$1 or trough\$1) and burner \$1	USPAT	OR	OFF	2008/01/28 20:13

S51	493	("126" or "431").clas. and (groove\$1 or depression\$1 or trough\$1) and burner \$1.ti.	USPAT	OR	OFF	2008/01/28 20:14
S52	2480	("126" or "431").clas. and (shell\$1)	USPAT	OR	OFF	2008/01/28 20:21
S53	153	("126" or "431").clas. and (shell\$1 with hal \$3)	USPAT	OR	OFF	2008/01/28 20:21
S54	1939	("126" or "431").clas. and reflector\$1	USPAT	OR	OFF	2008/01/28 20:44
S55	581	("126" or "431").clas. and (parabolic with reflector\$1)	USPAT	OR	OFF	2008/01/28 20:44
S56	44	("126" or "431").clas. and (parabolic with reflector\$1) not solar	USPAT	OR	OFF	2008/01/28 20:45
S57	25	("0670905" "3115302" "3377482" "3394886" "3399833").PN. OR ("4319125").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/28 20:48
S58	1176	(126/91A,91R).CCLS.	USPAT; USOCR	OR	OFF	2008/01/28 20:52
S59	43	S58 and reflector\$1	USPAT	OR	OFF	2008/01/28 20:54
S60	1416	(431/328).CCLS.	USPAT; USOCR	OR	OFF	2008/01/28 20:56
S61	2	F23D14/10	FPRS; EPO; JPO; DERWENT	OR	OFF	2008/01/28 21:09
S62	2	F23D14/10.ipc.	FPRS; EPO; JPO; DERWENT	OR	OFF	2008/01/28 21:09
S63	0	F23D.ipc.	FPRS; EPO; JPO; DERWENT	OR	OFF	2008/01/28 21:10
S64	25334	F23D	FPRS; EPO; JPO; DERWENT	OR	OFF	2008/01/28 21:10
S65	0	S64 and (14/10).ipc.	FPRS; EPO; JPO; DERWENT	OR	OFF	2008/01/28 21:10
S66	0	S64 and (14/10)	FPRS; EPO; JPO; DERWENT	OR	OFF	2008/01/28 21:10
S67	0	S64 and (14/10)	FPRS; EPO; JPO; DERWENT	OR	OFF	2008/01/28 21:10
S68	0	("4416249").PN.	US-PGPUB	OR	OFF	2008/01/28 21:19

S69	1	("4416249").PN.	US-PGPUB; USPAT	OR	OFF	2008/01/28 21:19
S70	0	EP0055911	EPO	OR	OFF	2008/01/28 21:22
S71	0	"0055911"	EPO	OR	OFF	2008/01/28 21:22
S72	21	("2235886" "2522935" "3322112" "3334620" "3547099" "3638634" "4112912").PN. OR ("4416249").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/28 21:24
S73	1219	(126/41R).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/01/29 10:34
S74	230	126/41\$.CCLS. and (groove\$1 or indentation\$1 or depression\$1 or channels)	USPAT	OR	OFF	2008/01/30 11:37
S75	36	(US-20070054228-\$ or US-20050138789-\$ or US-20050170305-\$).did. or (US- 4418456-\$ or US- 3156292-\$ or US- 6428313-\$ or US- 5406703-\$ or US- 5103545-\$ or US- 4951880-\$ or US- 4346845-\$ or US- 3874839-\$ or US- 3647146-\$ or US- 6045356-\$ or US- 4762530-\$ or US- 4118175-\$ or US- 5655511-\$ or US- 4846143-\$ or US- 3656879-\$ or US- 3737281-\$ or US- 4023923-\$ or US- 7052273-\$ or US- 6461152-\$ or US- 6371753-\$ or US- 5743727-\$ or US- 6379146-\$ or US- 3873025-\$ or US- 2560777-\$ or US- 5340305-\$ or US- 5127346-\$).did. or (US-6138662-\$ or US-	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/05 08:15

		4319125-\$ or US- 4727854-\$ or US- 4416249-\$ or US- 6691700-\$).did. or (US-3540258-\$ or US- 3386431-\$).did.				
S76	3	S75 and pilot\$1	USPAT	OR	OFF	2008/02/05 08:15
S77	0	S75 and (pilot adj integral)	US-PGPUB	OR	OFF	2008/02/05 08:34
S78	1	S75 and (pilot near2 integral)	US-PGPUB	OR	OFF	2008/02/05 08:34
S79	1	S75 and (pilot with integral)	US-PGPUB	OR	OFF	2008/02/05 08:34
S80	1	S75 and (slots with bushings)	US-PGPUB	OR	OFF	2008/02/05 08:36
S81	119	burner with bushing \$1	US-PGPUB; USPAT	OR	OFF	2008/02/05 08:37
S82	5	(burner with head) with bosses	US-PGPUB; USPAT	OR	OFF	2008/02/05 08:43
S83	43	(burner with head) and bosses	US-PGPUB; USPAT	OR	OFF	2008/02/05 08:43
S84	35	(tubular with burner) and bosses	US-PGPUB; USPAT	OR	OFF	2008/02/05 08:46
S85	1	(bake adj burner) and bosses	US-PGPUB; USPAT	OR	OFF	2008/02/05 08:46
S86	19	(elongat\$2 with burner) and bosses	US-PGPUB; USPAT	OR	OFF	2008/02/05 08:49
S87	5	(burner with head with bosses)	US-PGPUB; USPAT	OR	OFF	2008/02/05 08:50

2/ 5/ 2008 10:42:10 AM

C:\Documents and Settings\SSuereth\My Documents\EAST\Workspaces\10509634.wsp